



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/518,910

08/10/2005

Markku Broas

122189

5394

25944

7590

01/29/2007

OLIFF & BERRIDGE, PLC
P.O. BOX 19928
ALEXANDRIA, VA 22320

EXAMINER

CHAO, ELMER M

ART UNIT

PAPER NUMBER

3737

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

3 MONTHS

01/29/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/518,910

Applicant(s)

BROAS, MARKKU

Examiner

Elmer Chao

Art Unit

3737

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 August 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☒ Claim(s) 1-20 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 23 December 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|--|
| <p>1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)</p> <p>2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)</p> <p>3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>3/17/2005</u>.</p> | <p>4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.</p> <p>5) <input type="checkbox"/> Notice of Informal Patent Application</p> <p>6) <input type="checkbox"/> Other: _____.</p> |
|--|--|

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Drawings

2. The drawings are objected to under 37 CFR 1.83(a) because they fail to show **items 413 and 492** as described in the specification. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are

Art Unit: 3737

not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

3. **Claims 1-20** are objected to because of the following informalities: The use of the phrase "characterized by" or "characterized in that" is usually a foreign practice that is the U.S. equivalent of "wherein the improvement comprises". If that is Applicant's intent, then please correct to conform to U.S. practice.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. **Claims 1-4, 6-14, and 16-20** are rejected under 35 U.S.C. 102(b) as being anticipated by Tsai (U.S. 2002/0038075) and as evidenced by Cornsweet et al. (U.S. 6,296,358 B1).

Regarding **claims 1-3, 7-13, and 17-20**, Tsai teaches a method and apparatus for: forming an image of an organ including skin (Para [0025], last sentence; Fig 6c; Para [0034]) or ear (Fig 6b; Para [0034]) by illuminating an organ by radiation emitted from a hand-held camera unit (Fig. 2, Item 10) comprising a nose part (Fig. 2, Item 14),

Art Unit: 3737

wherein the camera unit can be connected to a power source through a cable (Fig 5); emitting optical radiation toward the organ via at least one exit aperture (Fig. 2, Item 32) and one entrance aperture (Fig 2, Item 48) whose optical axes differ from each other (the fiber optic light outlet and lens housing inherently possess apertures at the edges where the light exits the end of the fiber optic cable and enters the housing), wherein the entrance and exit apertures are parallel and unidirectional whose optical axis differ from each other (Fig 2, Items 36 and 37; Para [0025]); transferring images captured by the camera unit to a data processing device (Fig. 3, Items 34 & 62); and displaying the images visually (Fig. 2, Items 64 & 20);

Regarding **claims 4, 6, 14, and 16** Tsai teaches using the camera unit as an ophthalmoscope (Para [0011] – Para [0013]; claim 1). Ophthalmoscopes are used for examinations of the ocular fundus by shining light through the patient's pupil to illuminate the fundus, as evidenced and explicitly stated in Cornsweet et al. (col. 1, lines 18-33).

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. **Claim 5 and 15** are rejected under 35 U.S.C. 103(a) as being unpatentable over Tsai and as evidenced by Cornsweet, in view of Oharek (U.S. 4,208,107). Tsai teaches the limitations as discussed above. Tsai also teaches that the light used can be infrared

Art Unit: 3737

light or white light (Para [0023]). Tsai does not teach illuminating the eye with white light and infrared light. However, Oharek teaches using both white light and infrared light to illuminate the eye (abstract; col. 7, lines 64-68; col. 8, lines 1-32). Therefore, it would have been obvious to a person of ordinary skill in the art to modify Tsai to use both infrared and white light to illuminate the eye in order to obtain both infrared pictures and black and white or color pictures without closing the pupil in response to the white light (abstract; col. 7, lines 64-68; col. 8, lines 1-32).

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elmer Chao whose telephone number is (571)272-0674. The examiner can normally be reached on 9am-4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on (571)272-4956. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3737

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EC
1/8/2007


ELENI MANTIS-MERCADER
SUPERVISORY PATENT EXAMINER